

Safety Data Sheet REFRIGERANT GAS MIX, R401A, 42#

www.advancedspecialtygases.com

Section 1: Product and Company Identification

Advanced Specialty Gases 135 Catron Dr. Reno, NV 89512 775-356-5500

Product Code: REFRIGERANT GAS MIX, R401A, 42#

Section 2: Hazards Identification



Hazard Classification: Eye Effects (Category 2.A) Gases Under Pressure

Hazard Statements: Causes serious eye irritation Contains gas under pressure; may explode if heated

Precautionary Statements Prevention: Wash thoroughly after handling. Wear eye protection/face protection.

Response:

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Storage: Protect from sunlight. Store in well-ventilated place.

Section 3: Composition/Information on Ingredients

Chemical Substance	Chemical Family	Trade Names
	refrigerants	chlorodifluoromethane, difluorethane, chlorotetrafluoroethane

Section 4: First Aid Measures

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Flush skin with water.	Flush eyes with large amounts of water for at least 15 minutes	Unlikely	Move to fresh air	Not available

Section 5: Fire Fighting Measures

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Use any standard agent	Not available	 Not available
		 Not available
		 Not available
		 Not available

Section 6: Accidental Release Measures

Personal Precautions	Environmental Precautions	Methods for Containment
Always wear recommended personal protective equipment	Not available	Stop leak if without risk and provide ventilation.

Methods for CleanupOther InformationNot availableNot available

Section 7: Handling and Storage

Handling	Storage
Store in cool, well ventilated area of low fire risk and out of direct	Avoid breathing vapors and liquid contact with eyes, skin or
sunlight	clothing.

Section 8: Exposure Controls/Personal Protection

Exposure Guidelines

Not available`

Engineering Controls No specific controls are needed

no specific controls are needed.						
Eye Protection	Skin Protection	Respiratory Protection				
Wear safety glasses for normal conditions	General work clothing and leather gloves would be sufficient	Not available				

General Hygiene considerations

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

Section 9: Physical and Chemical Properties

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Liquid and	Clear colorless liquid and	Colorless	Not available	Liquid and	Faint sweet	Not
vapor	vapor			vapor	ethereal	available

Flash PointFlammabilityPartition CoefficientAutoignition TemperatureUpper Explosive LimitsLower Explosive LimitsNot availableNot availableNot availableNot availableNot availableNot available

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
-33 C	Unknown	101.8 psia @ 70 F	3.5 (Air=1)	1.188 at 25C	.24% wt	Neutral	Not available	>1 COMPARED TO: CC14 = 1	Not available

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
94.4	CHCIF2,C2H4F2, C2HCIF4	Not available	Not available	Not available	Not available	Not available

Section 10: Stability and Reactivity

Stability	Conditions to Avoid	Incompatible Materials			
Stable under normal conditions	Stable under normal conditions	Freshly abraded aluminum surfaces. Chemically active metals: potassium, calcium, powdered aluminum, magnesium and zinc			
Hazardous Decomposition	on Products	Possibility of Hazardous Reactions			
Halogens halogen acids	, and possibly carbonyl ha	nalides Will not occur			

Section 11: Toxicology Information

Acute Effects

Oral LD50	Dermal LD50	Inhalation
Not available	Not available	Symptoms of asphyxiation, loss of coordination, increased pulse rate and deeper respiration will occur when oxygen levels in air are reduced to 12-14%

Eye Irritation	Skin Irritation	Sensitization
Liquid contact can cause severe	Irritation would result from defatting action on	Overexposure may cause dizziness and loss of
irritation	tissue	concentration

Chronic Effects

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects	
Not available	Not available	Not available	No data	

Section 12: Ecological Information

Fate and Transport

Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Fish toxicity: not available Invertibrate toxicity: not available Algal toxicity: not available Phyto toxicity: not available Other toxicity: not available	Not available	Not available	Not available

Section 13: Disposal Considerations

Disposal must comply with federal, state, and local disposal or discharge laws.

Section 14: Transportation Information

U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Liquefied Gas n.o.s (Chlorodifluoromethane, chlorotetrafluoroethane, difluoroethane)	UN3163	2.2	Not applicable	Not available	Not available	Not available	Not available

Canadian Transportation of Dangerous Goods

Shipping Name	UN Number	Class	Packing Group / Risk Group
Liquefied Gas n.o.s (Chlorodifluoromethane, chlorotetrafluoroethane, difluoroethane)	UN3163	2.2	Not applicable

Section 15: Regulatory Information

U.S. Regulations

CERCLA Sections	SARA 355.30	SARA 355.40	
Not available	Not available	Not available	

SARA 370.21

Acute	Chronic	Fire	Reactive	Sudden Release
Not available				

SARA 372.65 Not available

OSHA Process Safety
Not available

State Regulations CA Proposition 65 Not available

Canadian Regulations WHMIS Classification Not available

National Inventory Status

US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)		
Not available	Not available	Not available		

Section 16: Other Information

NFPA Rating

Health:2, Flammability: 1, Reactivity: 0 0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard